

# Dependable Hi-Speed Internet Access Wherever You Need

The Ideal Solution for All Transportation Types, Including Public Transportation, Motorcoach, Buses, Locomotives, and more!



High-Speed WiFi



Monitor Bandwidth of All Devices



Monitor Vehicle System



Customizable Splash Page



Open DNS Controls



Cloud-Based Management



5G up to 20GBPS




Filter Undesired Content




Flexible Configuration



Configure & Update Over-the-Air



Compatible with EYERIDE APC



Bi-Directional Audio Recording



View all Connected Devices



Real-Time Remote Video Surveillance



Mobile Configuration Support



Driver and Fleet Monitoring & Safety



ELOG/FMCSA-Connected Web Services



GPS Fleet Tracking and Geofencing



## Specification

Hardware Features	
CPU	MT7621, Dual Core, 880MHZ
Interface	1 * 10/100/1000 Mbps WAN Port 4 * 10/100/1000 Mbps LAN Ports 1 * SIM Card Slot 1 * M.2 Slot
Button	Reset Button
External Power Supply	Power Adapter: Input Power 100-240v~50/60 Hz 0.6A Output parameter 12VDC 2A
Environment	Operating Temperature: 0°C~40°C (32°F ~104°F) Operating Humidity: 10%~90% non-condensing Storage Humidity: 5%~90% non-condensing
Antenna	6pcs Detachable High Gain Antennas
Wireless Features	
Wireless Standards	IEEE 802.11n.IEEE 802.11g.IEEE 802.11b.IEEE 802.3u
Frequency	2.4GHz
Wireless Rate	2.4G 300Mbps
Wi-Fi Max.Associated Clients	30
4G	1 SIM card interface
WAN Failover	Yes
Wireless Security	WPA/WPA2, WPA-PSK
Software Features	
WAN Type	PPPoE.Dynamic IP. Static IP
Port Forwarding	Supported
Static Router	Supported
System Log	Supported
Parent control	Supported
SSID Hidden	Supported



Power waste	Normal working state < 7.5W (without external equipment)
Power off protection	Super capacitor design, support abnormal power failure, ensure the integrity of video files
Working Temperature	-10°C~+70°C
Working relative temperature	20% to 80%
Equipment size	5.25" x 3.75" x 1.25"
Net weight	0.3kg
LTE modem	Quectel EG25G modem (PTCRB Certified)
Bluetooth	Supported

